# **SAFETY DATA SHEET**



### **Antikalk**

# 1. Identification of the substance/preparation and of the company/undertaking

Product name Supplier : Antikalk

: JohnsonDiversey HELLAS S.A.

5 Himarras Str.

Maroussi 15125, Athens Tel. 210 63 85 900

Greece

**Emergency telephone number** 

: 210-7793777 (Greek Poison Control Centre)

Product Use : Professional cleaning/maintenance product for building care.

## Composition/information on ingredients

**Substance/Preparation**: Preparation

Chemical name*	CAS no.	<b>%</b>	EC Number	Classification
Phosphoric acid	7664-38-2	30-60	231-633-2	C; R34
See Section 16 for the full text of the R Phrases declared above				

<sup>\*</sup> Occupational Exposure Limit(s), if available, are listed in Section 8

**Detergent/Cleaner Labelling** 

(89/542/EEC)

: (>30%) Phosphates.

### Hazards identification

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Hazard symbol(s)

Corrosive

Risk Phrases : R34- Causes burns.

### First aid measures

First-Aid measures

Skin contact

Inhalation : If breathing is difficult: Remove to fresh air. Get medical attention immediately.

Ingestion
 Do not induce vomiting! Immediately drink 1-2 glasses of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.

: Immediately wash off with plenty of water for at least 15 minutes. Get medical attention

immediately.

Eye Contact: Immediately wash out with water for at least 15 minutes. Get medical attention immediately.

# 5. Fire-fighting measures

**Extinguishing Media** 

: Dry chemical, water spray, foam, carbon dioxide.

Special fire-fighting procedures Unusual fire/explosion Hazards

: None known.

: Corrosive material (See sections 8 and 10).

Date of issue : 12 December 2003 Page: 1/4

### Antikalk

### Accidental release measures

**Personal Precautions** 

: Put on appropriate personal protective equipment (see Section 8).

**Environmental precautions and** cleanup methods

: In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with inert absorbing material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final cleanup.

Note: See section 8 for personal protective equipment and section 13 for waste disposal.

#### 7. Handling and storage

Handling

: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use only in well-ventilated areas. Avoid breathing vapours or spray mists. Remove and wash contaminated clothing and footwear before re-use.

**Storage** 

Store in a dry, cool and well-ventilated area. Keep away from heat. Protect from freezing. Keep container tightly closed. Keep out of the reach of children. For Professional use only.

#### 8. Exposure controls/personal protection

When handling product as supplied:

**Engineering Controls** 

: Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

**Ingredient Name** Phosphoric acid **Occupational Exposure Limits** ACGIH (United States). TWA: 1 mg/m<sup>3</sup> STEL: 3 mg/m<sup>3</sup>

Personal protective equipment

Respiratory system

In case of insufficient ventilation, wear suitable respiratory equipment.

No specific personal protection equipment is required. Skin and body

Hands

Chemical-resistant protective gloves made of butyl or nitrile rubber (EN 374, category III). In consultation with the supplier of protective gloves a different type of similar quality may be chosen.

Eyes Safety goggles.

Information should be confirmed by workplace assessment.

# Physical and chemical properties

Physical state

Liquid.

Colour

Clear Red. (Light.)

**Odour** 

pН

Characteristic.

Flash point

<1 (Conc. (% w/w): 100) [Acidic.]

Not applicable.

**Specific Gravity** 

Not available.

Easily soluble in cold water.

**Solubility** Viscosity

<5 cP (Dynamic).

# 10. Stability and reactivity

**Stability** 

The product is stable.

**Conditions to Avoid** 

None known

**Hazardous reactions** 

May react or be incompatible with alkalis.

**Hazardous decomposition** 

products

None known.

# Toxicological information

**Acute toxicity** 

: Corrosive.

#### Effects and symptoms

Skin contact : Corrosive. May cause permanent damage. **Eye Contact** Corrosive. May cause permanent damage.

May cause irritation and corrosive effects to nose, throat and respiratory tract. **Inhalation** 

Corrosive. May cause burns to mouth, throat and stomach. Ingestion

**Chronic toxicity** : None known.

Page: 2/4 Date of issue : 12 December 2003

### Antikalk

# 12. Ecological information

Environmental hazards: When used for its intended purpose this product should not cause adverse effects in the environment.

## 13. Disposal considerations

Methods of disposal

: Disposal according to the local legislation.

**European Waste Catalogue** 

: 20 01 14

(EWC) Hazardous Waste

: The classification of the product may meet the criteria for a hazardous waste

## 14. Transport information

#### International transport regulations

Regulatory Information	UN number	Proper shipping name	Class	Packing group	Label	Additional Information
ADR/RID Class	1805	Phosphoric acid, liquid solution	8	III		Hazard identification number 80
IMDG Class	1805	Phosphoric acid, liquid solution	8	Ш		Emergency Schedules (EmS) F-A, S-B
IATA-DGR Class	1805	Phosphoric acid, liquid solution	8	III		-

**Additional Information** 

: Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

# 15. Regulatory information

### **EU Regulations**

Hazard symbol(s)

Corrosive

**Risk Phrases** 

: R34- Causes burns.

**Safety Phrases** 

: S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible).

S51- Use only in well-ventilated areas.

Contains : Phosphoric acid 231-633-2

# 16. Other information

Full text of R phrases referred

: R34- Causes burns.

to in Sections 2 and 3 - Europe Full text of classifications referred to in Sections 2 and 3 -

: C - Corrosive

Europe

 MSDS code
 : JSDS99960

 Formula No.
 : 683290.001

**HISTORY** 

Date of printing : 12 December 2003
Date of issue : 12 December 2003

Version : 1

Date of issue : 12 December 2003 Page: 3/4

### Antikalk

**Notice to Reader** 

This update concerns a re-issue related to the introduction of 99/45/EC and 2001/58/EC, and the 28th ATP of 76/768/EEC. In view of the large number of changes the individual revisions have not been indicated in this new version.

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of issue and covers applications when used as directed.

Version	1		Page: 4/4
		-	